

# PAINT ACCESSORIES

[WWW.AWLGRIP.COM](http://WWW.AWLGRIP.COM)



# AWLGRIP PAINT ACCESSORIES

## EXTRAORDINARY SUPPORT FOR OUR PREMIUM PRODUCTS

Tested and approved at AkzoNobel technical training centers, our premier range of paint accessory items includes sustainable, economical, and easy to use solutions – designed with you in mind.

Achieve a better and longer lasting finish with accessory products that demonstrate AkzoNobel quality standards. From custom-developed paint suits to comprehensive topcoat care, we've got you covered.



SKU	DESCRIPTION
77001	AkzoNobel Polyester Paint Suit - Small
77002	AkzoNobel Polyester Paint Suit - Medium
77003	AkzoNobel Polyester Paint Suit - Large
77004	AkzoNobel Polyester Paint Suit - X-Large
77005	AkzoNobel Polyester Paint Suit - XX-Large
77006	Spray Bottle for T0115
77007	Spray Bottle for T0170
77008	AkzoNobel Premium Final Wipe
73009	Deluxe Tack Cloths
77009	AkzoNobel Paint Strainer-Fine

SKU	DESCRIPTION
77010	AkzoNobel Metal Sprayout Cards
73012	GRIPTEX® Non-Skid – Fine Grit (1 lb.) - Qt.
73012	GRIPTEX® Non-Skid – Fine Grit (4 lbs.) - Gal.
73013	GRIPTEX® Non-Skid – Coarse Grit (0.95 lbs.) - Qt.
73013	GRIPTEX® Non-Skid – Coarse Grit (3.9 lbs.) - Gal.
73237	GRIPTEX® Non-Skid – Extra Coarse Grit (3.9 lbs.) - Gal.
73234	AWLWASH® Wash Down Concentrate - Qt.
73234	AWLWASH® Wash Down Concentrate - Gal.
73240	AWLCARE® Protective Polymer Sealer - Pint
73240	AWLCARE® Protective Polymer Sealer - Half Gal.

## PAINT SUITS

- Custom developed by AkzoNobel technicians
- 100% polyester means more breathability, lightness and anti-static\*
- Elastic waist, wrists, ankles and hood for comfort and fit
- Zipper made with large, snag-free teeth durable seams
- Increased arm mobility with raglan sleeve style
- Reduced lint

These high quality reusable paint suits are not only sustainable but also cost about **4 times less** than most disposable paint suits in the long-run; just wash and re-use!

*\* The Paint suits are treated for electrical resistance, commonly known as anti-static, by the general methodology of ESD-STM 2.1-1997 Electrostatic Discharge Association standards. With use in volatile & hazardous environments it provides optimum static control against incendiary spark, protecting from electronic equipment damage and fire. Each roll of fabric is treated and passes or exceeds standards before being cut & sewn. Antistatic properties are guaranteed up to 5 washings.*

SKU	DESCRIPTION
77001	AkzoNobel Polyester Paint Suit - Small
77002	AkzoNobel Polyester Paint Suit - Medium
77003	AkzoNobel Polyester Paint Suit - Large
77004	AkzoNobel Polyester Paint Suit - X-Large
77005	AkzoNobel Polyester Paint Suit - XX-Large



## SPRAY BOTTLES

Convenient and durable solvent pump spray bottle available for:

- T0115 – Awlprep Plus Cleaner
- T0170 – Awlprep 400 Cleaner

Less mess means no contamination!

\* Note: Do not use with other solvents, especially OT0002, as damage to the seal will occur resulting in the bottle becoming unusable.

SKU	DESCRIPTION
77006	Spray Bottle for T0115
77007	Spray Bottle for T0170



## PAINT STRAINERS

- High quality synthetic-mesh paint filters
- Patented filter tip provides truer color match and less wasted paint
- Lint Free: Guaranteed to have no loose fibers or threads
- Quicker filtering times reduces waiting time
- Fine mesh size: 190 microns

SKU	DESCRIPTION
77009	AkzoNobel Paint Strainer-Fine



## FINAL WIPES

- Highly absorbent
- Lint-free
- Durable
- Tested and approved at AkzoNobel technical training centers

The box contains 240 flat sheets which are specially designed for clean storage and easy removal of the wipes.

SKU	DESCRIPTION
77008	AkzoNobel Premium Final Wipe



## METAL SPRAY-OUT CARDS

White flexible steel card approximately 6x4" with black AkzoNobel logo, used for testing paint hide/opacity and color matching.

SKU	DESCRIPTION
77010	AkzoNobel Metal Sprayout Cards



## DELUXE TACK RAGS

Deluxe Tack Rags are a premium tack rag used just before painting to remove the lightest dust or dirt from what would otherwise be considered a clean, ready to paint surface.

They have the proper type and amount of resin to pick up dust without leaving contamination on the surface. Other tack rags can easily leave a residue that causes fisheyes and cratering of the topcoat.

SKU	DESCRIPTION
73009	Deluxe Tack Cloths



## GRIPTEX®

Griptex is a polymer bead aggregate used to provide non-skid deck and step areas when mixed with an Awlprep topcoat. Available in fine, coarse, and extra coarse. Can also be applied by spray.

SKU	DESCRIPTION
73012	GRIPTEX® Non-Skid – Fine Grit (1 lb.) - Qt.
73012	GRIPTEX® Non-Skid – Fine Grit (4 lbs.) - Gal.
73013	GRIPTEX® Non-Skid – Coarse Grit (0.95 lbs.) - Qt.
73013	GRIPTEX® Non-Skid – Coarse Grit (3.9 lbs.) - Gal.
73237	GRIPTEX® Non-Skid – Extra Coarse Grit (3.9 lbs.) - Gal.



73012	Fine	Avg. 135 microns	100-120 mesh
73013	Coarse	Avg. 250 microns	50-60 mesh
73237	Extra Coarse	Avg. 840 microns	20-25 mesh

## AWLWASH®

Formulated specifically for Awlgrip, Awlwash is a wash down concentrate formulated to safely clean all Awlgrip topcoats.

- 100% biodegradable
- Free rinsing formula leading to faster drying
- Does not contain alkalis, acids or abrasives

Refillable quart "Tip 'N' Measure" container.  
Allows for proper mix ratio: 1 oz./30 ml. Awlwash per gallon fresh water.

SKU	DESCRIPTION
73234	AWLWASH® Wash Down Concentrate - Qt.
73234	AWLWASH® Wash Down Concentrate - Gal.



## AWLCARE®

Awlcare is a protective polymer sealer formulated to protect and remove mild stains from Awlgrip topcoats.

- Contains no harsh abrasives and will not scratch the painted surface
- Leaves a non-yellowing protective polymer coating which lasts through multiple washings
- Removes mild stains such as water spots and diesel soot
- Increases resistance to attack from acid rain and other environmental pollutants

Regular applications of Awlcare will help seal porosity, helping to maintain a satisfactory appearance until there is time to repaint.

SKU	DESCRIPTION
73240	AWLCARE® Protective Polymer Sealer - Pint
73240	AWLCARE® Protective Polymer Sealer - Half Gal.



## TOPCOAT CARE

Awlwash® and Awlcare® have been specifically developed to ensure that Awlgrip topcoats last for years.

Using these dedicated 'fit for purpose' products will help to eliminate the premature dulling of the coating that the use of unsuitable, harsh cleaners can cause.

Using **Awlwash** and **Awlcare** together will provide the safest and most effective protection for your boat's Awlgrip topcoat.



## USING AWLWASH

- Rinse surface thoroughly **prior** to washing.
- Add 1 ounce of **Awlwash** per gallon of water.
- Wash surface while still wet from initial rinsing. Use a soft, non-abrasive applicator when washing the surface.
- Do not allow **Awlwash** to dry on the surface prior to rinsing - wash small sections of large surfaces to insure the surface stays wet.
- Rinse surface thoroughly **after** washing.
- When finished, wipe surface with soft cotton towel or chamois to prevent water spots.

## USING AWLCARE

- Wash surface with Awlgrip **Awlwash** Wash Down Concentrate, rinse and wipe dry.
- Shake **Awlcare** well and apply with a 100% cotton applicator or cloth.
- **Awlcare** can be applied in direct sunlight or in the shade.
- Allow **Awlcare** to dry to a haze.
- Wipe off haze by hand with a fresh, clean cotton cloth - mechanical buffing is not recommended with **Awlcare**.
- Note that multiple coats of **Awlcare** may be needed to protect water runoff areas.




Awlwash and Awlcare work in conjunction to provide you the best looking and longest lasting finish. Here are some tips on how to use and maintain your finish with your specific Awlgrip topcoat.



### TIP:

Remember not to use traditional waxes; they leave residue that attracts dirt and causes the topcoat to appear yellow which increases overall maintenance.



## AWLGRIP NORTH AMERICA

6001 Antoine Dr. Houston, TX USA 77091 TEL: 713.682.1711 FAX: 713.684.1301

---

The information given in this sheet is not intended to be exhaustive. Any person using the product without first making further enquiries as to the suitability of the product for the intended purpose does so at their own risk and, to the extent permitted by law, we can accept no responsibility for the performance of the product or for any loss or damage arising out of such use. The information contained in this sheet is liable to modification from time to time in the light of experience and our policy of continuous product development.



[www.awlgrip.com](http://www.awlgrip.com)



[facebook.com/awlgripfinishfirst](https://facebook.com/awlgripfinishfirst)



[twitter.com/awlgrip](https://twitter.com/awlgrip)